INTERMEDIATE STATE PERMIT TO OPERATE

Under the authority of RSMo 643 and the Federal Clean Air Act the applicant is authorized to operate the air contaminant source(s) described below, in accordance with the laws, rules, and conditions set forth here in.

Intermediate Operating Permit Number:

Expiration Date:

Installation ID: 081-0015 & 081-0019

Project Number: 2004-03-044

Installation Name and Address

Bethany Municipal Power Plant 11th & Beekman St. and East Outer Road Bethany, MO 64424 Harrison County

Parent Company's Name and Address

City of Bethany PO Box 344 Bethany, MO 64424

Installation Description:

The City of Bethany generates electricity from two (2) municipal power plants that they operate. Power plant #1 is located at 11th Beekman Street (081-0015) and plant #2 is located on East Outer Road (081-0019).

Effective Date	Director or Designee
	Department of Natural Resources

Table of Contents

I.	INSTALLATION DESCRIPTION AND EQUIPMENT LISTING			
	INSTALLATION DESCRIPTION			
	EMISSION UNITS WITH LIMITATIONS			
	EMISSION UNITS WITHOUT LIMITATIONS			
	DOCUMENTS INCORPORATED BY REFERENCE	∠		
II.	PLANT WIDE EMISSION LIMITATIONS	5		
	PERMIT CONDITION PW001			
III.	. EMISSION UNIT SPECIFIC EMISSION LIMITATIONS	6		
	EU0010- Diesel Generator	6		
	PERMIT CONDITION FU0010-001	f		
	10 CSR 10-6.060 Construction Permits Required	(
	10 CSR 10-6.060 Construction Permits Required Construction Permit #06200-014A Issued August 2, 2000	(
	EU0020 THROUGH EU0070 - DIESEL GENERATORS			
	PERMIT CONDITION EU0070-001			
	PERMIT CONDITION EU0070-001			
	Construction Permit #0393-018 Issued March 29, 1993			
	PERMIT CONDITION (EU0020 through EU0040)-001			
	10 CSR 10-6.260	8		
	Restriction of Emission of Sulfur Compounds	8		
	PERMIT CONDITION (EU0010 and EU0070)-002 and (EU0050 and EU0060)-001			
	10 CSR 10-6.260			
	Restriction of Emission of Sulfur Compounds			
IV.	. Core Permit Requirements	11		
V.	GENERAL PERMIT REQUIREMENTS.	17		
VI.	ATTACHMENTS	21		
	ATTACHMENT A	22		
	ATTACHMENT B.			
	ATTACHMENT C			
	ATTACHIVIENT C	24		

Installation Description and Equipment Listing I.

INSTALLATION DESCRIPTION

The City of Bethany generates electricity from two (2) municipal power plants that they operate. Power plant #1 is located at 11th Beekman Street (081-0015) and plant #2 is located on East Outer Road (081-0019). The APCP has determined that these power plants are one contiguous installation. This installation is major for NOx, SOx, VOC, and CO, however, the installation has accepted a voluntary limitation on the installation wide emissions of NOx of 95 tons per year. This limit indirectly limits the other criteria pollutants to less than major source levels.

	Reported Air Pollutant Emissions for Plant #1, tons per year							
Year	Particulate	Sulfur	Nitrogen	Volatile Carbon		Lead	Hazardous	
	Matter	Oxides	Oxides	Organic Monoxi		(Pb)	Air	
	≤ Ten Microns	(SO_x)	(NO_x)	Compounds	(CO)		Pollutants	
	(PM-10)			(VOC)			(HAPs)	
2004	0.03	0.01	1.23	0.10	92.26			
2003	0.33	0.06	4.89	0.40	1.05			
2002	0.04		0.79	0.07	0.16			
2001	0.17	0.15	2.31	0.19	\\Q_50 \			
2000	1.66	0.22	23.69	1.96	5.10	\		

Reported Air Pollutant Emissions for Plant #2, tons per year							
Year	Particulate	Sulfur	Nitrogen	/Volatile \	Carbon	Lead	Hazardous
	Matter	Oxides	Oxides	Organic \	Monoxide	(Pb)	Air
	≤ Ten Microns	(SO_x)	(NO_{x})	Compounds)	(CO)		Pollutants
	(PM-10)			((VOC)			(HAPs)
2004	-	/	\0.08 \		0.02	1	
2003	-	Ø.07	Ø.80 \		0.06	1	
2002	-	0.08	\ - \		0.06	1	
2001	-	\0.07\	0.80		0.06	-	
2000	0.04	Ø08 ✓	6.09	0.12	0.41		

EMISSION UNITS WITH LIMPTATIONS

The following list provides a description of the equipment at this installation which emits air pollutants and which is identified as having unit-specific emission limitations.

Emission Unit # Description of Emission Unit

East Outer Road (081-0019)

EU0010 Diesel Generator (EP-9)

11th & Beekman Street (081-0015)

EU0020	Diesel Generators (EP-2)
EU0030	Diesel Generators (EP-4)
EU0040	Diesel Generators (EP-5)
EU0050	Diesel Generators (EP-6)
EU0060	Diesel Generators (EP-7)
EU0070	Diesel Generators (EP-8)

EMISSION UNITS WITHOUT LIMITATIONS

The following list provides a description of the equipment, which does not have unit specific limitations at the time of permit issuance.

Description of Emission Source

East Outer Road (081-0019)

(2) 2000 Gallon Diesel Storage Tanks Installed in 1993

11th & Beekman Street (081-0015)

- (2) 11440 Gallon Diesel Storage Tanks Installed Prior to 1950
- (2) 21326 Gallon Diesel Storage Tanks Installed Prior to 1950

DOCUMENTS INCORPORATED BY REFERENCE

These documents have been incorporated by reference into this permit.

East Outer Road (081-0019)

Construction Permit #062000-014X

11th & Beekman Street (081-0015)

Construction Permit #0393-018

II. **Plant Wide Emission Limitations**

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

PERMIT CONDITION PW001

10 CSR 10-6.065(2)(C) and 10 CSR 10-6.065(5)(A) Voluntary Limitation(s)

Emission Limitation:

The installation shall emit less than 95 tons of Nitrogen Oxides (NOx) in any consecutive 12-month period from all engine generators combined.

Monitoring:

The installation shall monitor the amount of fuel burned in each engine per month.

Recordkeeping:

The installation shall record the amount of fuel burned in each engine on a monthly basis. Attachment A contains a log including these recordkeeping requirements. This log, or an equivalent created by the permittee, must be used to certify compliance with this requirement.

Reporting:

- 1. The permittee shall report to the APCP Enforcement Section, P.S. Box 176, Jefferson City, MO 65102, no later than ten days after any deviation from or exceedance of any of the terms imposed by this regulation, or any malfunction which causes a deviation from or exceedance of this regulation.
- 2. The permittee shall report any deviations/exceedances of this permit condition using the semi-annual monitoring report and annual compliance certification to the Air Pollution Control Program Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as required by 10 CSR 10-6.065(6)(C)1.C.(III).

Emission Unit Specific Emission Limitations III.

The installation shall comply with each of the following emission limitations. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

	EU0010- Diesel Generator					
Emission Unit	Description	Manufacturer/Model #	2003 EIQ Reference #			
EU0010	Caterpillar Engine – Generator Fuel: Diesel (Fuel Oil #2) Installed in 1993 MHDR = 0.1157 Mgal/hr, 15.85 MMBtu/hr	Caterpillar – 3516 TM9327-04	EP-9			

PERMIT CONDITION EU0010-001

10 CSR 10-6.060 Construction Permits Required Construction Permit #062000-014A Issued August 2, 2000

Emission Limitation:

This installation shall not emit more than 69 tons of Nitrogen Oxides (NOx) in any consecutive 12month period. [Special Condition 1A]

Monitoring:

The installation shall monitor the amount of fuel burned per month.

Recordkeeping:

The installation shall record the amount of fuel burned in this engine on a monthly basis. Attachment B contains a log including these recordkeeping requirements. This log, or an equivalent created by the permittee, must be used to certify compliance with this requirement.

Reporting:

The permittee shall report to the APCP Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which records indicate that the emission limit has been exceeded.

	EU0020 through EU0070 - Diesel Generators					
Emission Unit	Description	Manufacturer/Model #	2003 EIQ Reference #			
EU0020	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1948 MHDR = 0.065 Mgal/hr, 9.1 MMBtu/hr	33F16 FM	EP-2			
EU0030	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1958 MHDR = 0.115 Mgal/hr, 16.1 MMBtu/hr	1312 Nordberg	EP-4			
EU0040	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1968 MHDR = 0.125 Mgal/hr, 17.5 MMBtu/hr	38TDD FM	EP-5			
EU0050	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1979 MHDR = 0.125 Mgal/hr, 17.5 MMBtu/hr	387DD FM	EP-6			
EU0060	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1980 MHDR = 0.065 Mgal/hr, 9.1 MMBtu/hr	38D0 FM	EP-7			
EU0070	Generator Engine Fuel: Diesel (Fuel Oil #2) Installed in 1983 MHDR = 0.11 Mgal/hr, \5.4 MMBtu/hr	16V149T1 Detroit	EP-8			

PERMIT CONDITION EU0070-001 10 CSR 10 6.000 Construction Permits Required Construction Permit #0393-018 Issued March 29, 1993

Emission Limitation:

This generator shall not use more than 30,000 gallons of diesel fuel per 12-month period. [Special Condition 1]

Monitoring:

The installation shall monitor the amount of fuel burned per month.

Recordkeeping:

The installation shall record the amount of fuel burned in this engine on a monthly basis. Attachment C contains a log including these recordkeeping requirements. This log, or an equivalent created by the permittee, must be used to certify compliance with this requirement. [Special Condition 2]

Reporting:

The permittee shall report to the APCP Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, no later than ten days after the end of the month during which records indicate that the emission limit has been exceeded. [Special Condition 3]

PERMIT CONDITION (EU0020 through EU0040)-001

10 CSR 10-6.260

Restriction of Emission of Sulfur Compounds

Emission Limitation:

1. Emissions from any existing source operation shall not contain more than two thousand parts per million by volume (2000 ppmv) of sulfur dioxide.

2. Stack gasses shall not contain more than seventy milligrams (70 mg) per cubic meter of sulfuric acid or sulfur trioxide or any combination of those gases averaged on any consecutive three-hour time period.

3. No person shall cause or permit the emission of sulfur compounds from any source which causes or contributes to concentrations exceeding those specified in 10 CSR 10-6010 Ambient Air Quality Standards. [10 CSR 10-6.260(3)(B) & 10 CSR 10-6.010 Ambien Air Quality Standards]

Pollutant	Concentration by Volume	Remarks
	0.03 parts per million (ppm) (80 micrograms per cubic meter (µg/m³))	Annual arithmetic mean
Sulfur Dioxide (SO ₂)	0.14 ppm (365 µg/m³)	24-hour average not to be exceeded
	0.14 μg/μ1)	more than once per year
	$0.5 \text{ ppm} (1300 \text{ kg/m}^3)$	3-hour average not to be exceeded
	0.5 pan (1500 µg/III)	more than once per year
Hydrogen Sulfide (H ₂ S)	0.05 ppm (70 µg/m²)	½-hour average not to be exceeded
	w.os ppin (70 kg/m)	over 2 times per year
	$0.03 \text{ ppm } (32 \mu \text{g/m}^3)$	½-hour average not to be exceeded
	σ.ου ρριπ (42 μg/m)	over 2 times in any 5 consecutive days
Sulfuric Acid		24-hour average not to be exceeded
(H_2SO_4)	$10 \mu\text{g/m}^3$	more than once in any 90 consecutive
(112504)		days

Operational Limitation/Equipment Specifications:

The emission unit shall be limited to burning number 2 fuel oil.

Monitoring/Record Keeping:

- 1. The permittee shall maintain an accurate record of the sulfur content of fuel used. Fuel purchase receipts, analyzed samples, or certifications that verity the fuel type and sulfur content will be acceptable.
- 2. These records shall be made available immediately for inspection to the Department of Natural Resources' personnel upon request.
- 3. All records shall be maintained for five years.

Reporting:

The permittee shall report any deviations/exceedances of this permit condition using the semi-annual monitoring report and annual compliance certification to the Air Pollution Control Program Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as required by 10 CSR 10-6.065(6)(C)1.C.(III).

PERMIT CONDITION (EU0010 and EU0070)-002 and (EU0050 and EU0060)-001 10 CSR 10-6.260

Restriction of Emission of Sulfur Compounds

Emission Limitation:

1. Emissions from any new source operation shall not contain more than five hundred parts per million by volume (500 ppmv) of sulfur dioxide.

2. Stack gasses shall not contain more than thirty-five milligrams (35 mg) per cubic meter of sulfuric acid or sulfur trioxide or any combination of those gases averaged on any consecutive three-hour time period.

3. No person shall cause or permit the emission of sulfur compounds from any source which causes or contributes to concentrations exceeding those specified in 10 CSR 10-6010 Ambient Air Quality Standards. [10 CSR 10-6.260(3)(B) & 10 CSR 10-6.010 Ambient Air Quality Standards]

Pollutant	Concentration by Volume	Remarks
	0.03 parts per million (ppm) (80 micrograms per cubic meter (µg/m³))	Annual arithmetic mean
Sulfur Dioxide (SO ₂)	0.14 ppm (365 µg/m³)	24-hour average not to be exceeded
	0.14 μg/μ1)	more than once per year
	$0.5 \text{ ppm} (1300 \text{ kg/m}^3)$	3-hour average not to be exceeded
	0.5 pan (1500 µg/III)	more than once per year
Hydrogen Sulfide (H ₂ S)	0.05 ppm (70 µg/m²)	½-hour average not to be exceeded
	w.os ppin (70 lg/in)	over 2 times per year
	$0.03 \text{ ppm } (32 \mu \text{g/m}^3)$	½-hour average not to be exceeded
	υ.ου ρριτί (42 μg/π)	over 2 times in any 5 consecutive days
Sulfuric Acid		24-hour average not to be exceeded
(H_2SO_4)	$10 \mu\text{g/m}^3$	more than once in any 90 consecutive
(112504)		days

Operational Limitation/Equipment Specifications:

The emission unit shall be limited to burning number 2 fuel oil.

Monitoring/Record Keeping:

- 1. The permittee shall maintain an accurate record of the sulfur content of fuel used. Fuel purchase receipts, analyzed samples or certifications that verity the fuel type and sulfur content will be acceptable.
- 2. These records shall be made available immediately for inspection to the Department of Natural Resources' personnel upon request.
- 3. All records shall be maintained for five years.

Reporting:

The permittee shall report any deviations/exceedances of this permit condition using the semi-annual monitoring report and annual compliance certification to the Air Pollution Control Program Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as required by 10 CSR 10-6.065(6)(C)1.C.(III).



IV. **Core Permit Requirements**

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR), Code of State Regulations (CSR), and local ordinances for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

10 CSR 10-6.050 Start-up, Shutdown and Malfunction Conditions

- 1) In the event of a malfunction, which results in excess emissions that exceed one hour, the permittee shall submit to the director within two business days, in writing, the following information:
 - a) Name and location of installation;
 - b) Name and telephone number of person responsible for the installation;
 - c) Name of the person who first discovered the malfunction and precise time and date that the malfunction was discovered.
 - d) Identity of the equipment causing the excess emissions;
 - e) Time and duration of the period of excess emissions;
 - f) Cause of the excess emissions:
 - g) Air pollutants involved;
 - h) Best estimate of the magnitude of the excess emissions expressed in the units of the applicable requirement and the operating data and calculations used in estimating the magnitude;
 - i) Measures taken to mitigate the extent and duration of the excess emissions; and
 - j) Measures taken to remedy the situation that caused the excess emissions and the measures taken or planned to prevent the recurrence of these situations
- 2) The permittee shall submit the paragraph 1 information list to the director in writing at least ten days prior to any maintenance, start-up or shutdown, which is expected to cause an excessive release of emissions that exceed one hour. If notice of the event earnot be given ten days prior to the planned occurrence, it shall be given as soon as practicable prior to the release. If an unplanned excess release of emissions exceeding one hour occurs during maintenance, start-up or shutdown, the director shall be notified verbally as soon as practical during normal working hours and no later than the close of business of the following working day. A written notice shall follow within ten working days.
- 3) Upon receipt of a notice of excess emissions issued by an agency holding a certificate of authority under section 643.140, RSMo, the permittee may provide information showing that the excess emissions were the consequence of a malfunction, start-up or shutdown. The information, at a minimum, should be the paragraph 1 list and shall be submitted not later than 15 days after receipt of the notice of excess emissions. Based upon information submitted by the permittee or any other pertinent information available, the director or the commission shall make a determination whether the excess emissions constitute a malfunction, start-up or shutdown and whether the nature, extent and duration of the excess emissions warrant enforcement action under section 643.080 or 643.151, RSMo.
- 4) Nothing in this rule shall be construed to limit the authority of the director or commission to take appropriate action, under sections 643.080, 643.090 and 643.151, RSMo to enforce the provisions of the Air Conservation Law and the corresponding rule.
- 5) Compliance with this rule does not automatically absolve the permittee of liability for the excess emissions reported.

10 CSR 10-6.060 Construction Permits Required

The permittee shall not commence construction, modification, or major modification of any installation subject to this rule, begin operation after that construction, modification, or major modification, or begin operation of any installation which has been shut down longer than five years without first obtaining a permit from the permitting authority.

10 CSR 10-6.065 Operating Permits

The permittee shall file a complete application for renewal of this operating permit at least six months before the date of permit expiration. In no event shall this time be greater than eighteen months, [10] CSR 10-6.065(5)(B)1.A(III)] The permittee shall retain the most current operating permit issued to this installation on-site. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)1.C(II)] The permittee shall immediately make such permit available to any Missouri Department of Natural Resources personnel upon request. [10 CSR 10-6.065, §(5)(C)(1) and §(6)(C)3.B]

10 CSR 10-6.110 Submission of Emission Data, Emission Fees and Process Information

- 1) The permittee shall complete and submit an Emission Inventory Questionnaire (EIQ) in accordance with the requirements outlined in this rule.
- 2) The permittee shall pay an annual emission fee per ton of regulated air pollutant emitted according to the schedule in the rule. This fee is an emission fee assessed under authority of RSMo. 643.079.
- 3) The fees shall be due April 1 each year for emissions produced during the previous calendar year. The fees shall be payable to the Department of Natural Resources and shall be accompanied by the Emissions Inventory Questionnaire (EIQ) form or equivalent approved by the director.

10 CSR 10-6.130 Controlling Emissions During/Episodes of High Air Pollution Potential

This rule specifies the conditions that establish an air pollution a ert (yellow/orange/red/purple), or emergency (maroon) and the associated procedures and emission reduction objectives for dealing with each. The permittee shall submit an appropriate emergency plan if required by the Director.

10 CSR 10-6.150 Circumvention

The permittee shall not cause or permit the Installation or use of any device or any other means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission or air contaminant which violates a rule of the Missouri Air Conservation Commission.

10 CSR 10-6.170 Restriction of Particulate Matter to the Ambient Air Beyond the Premises of **Origin**

- 1) The permittee shall not cause or allow to occur any handling, transporting or storing of any material; construction, repair, cleaning or demolition of a building or its appurtenances; construction or use of a road, driveway or open area; or operation of a commercial or industrial installation without applying reasonable measures as may be required to prevent, or in a manner which allows or may allow, fugitive particulate matter emissions to go beyond the premises of origin in quantities that the particulate matter may be found on surfaces beyond the property line of origin. The nature or origin of the particulate matter shall be determined to a reasonable degree of certainty by a technique proven to be accurate and approved by the director.
- 2) The permittee shall not cause nor allow to occur any fugitive particulate matter emissions to remain visible in the ambient air beyond the property line of origin.

- 3) Should it be determined that noncompliance has occurred, the director may require reasonable control measures as may be necessary. These measures may include, but are not limited to, the following:
 - a) Revision of procedures involving construction, repair, cleaning and demolition of buildings and their appurtenances that produce particulate matter emissions;
 - b) Paving or frequent cleaning of roads, driveways and parking lots;
 - c) Application of dust-free surfaces;
 - d) Application of water; and
 - e) Planting and maintenance of vegetative ground cover.

10 CSR 10-6.180 Measurement of Emissions of Air Contaminants

- The director may require any person responsible for the source of emission of air contaminants to make or have made tests to determine the quantity or nature, or both, of emission of air contaminants from the source. The director may specify testing methods to be used in accordance with good professional practice. The director may observe the testing. All tests shall be performed by qualified personnel.
- 2) The director may conduct tests of emissions of air contaminants from any source. Upon request of the director, the person responsible for the source to be tested shall provide necessary ports in stacks or ducts and other safe and proper sampling and testing facilities, exclusive of instruments and sensing devices as may be necessary for proper determination of the emission of air contaminants.
- 3) The director shall be given a copy of the test results in writing and signed by the person responsible for the tests.

10 CSR 10-3.030 Open Burning Restrictions

- 1) The permittee shall not conduct, cause, permit or allow a salvage operation, the disposal of trade wastes or burning of refuse by open burning.
- 2) Exception Open burning of trade waste or vegetation may be permitted only when it can be shown that open burning is the only feasible method of disposal or an emergency exists which requires open
- 3) Any person intending to engage in open burning shall file a request to do so with the director. The request shall include the following:
 - a) The name, address and telephone number of the person submitting the application; The type of business or activity involved; A description of the proposed equipment and operating practices, the type, quantity and composition of trade wastes and expected composition and amount of air contaminants to be released to the atmosphere where known;
 - b) The schedule of burning operations;
 - c) The exact location where open burning will be used to dispose of the trade wastes;
 - d) Reasons why no method other than open burning is feasible; and
 - e) Evidence that the proposed open burning has been approved by the fire control authority which has jurisdiction.
- 4) Upon approval of the open burning permit application by the director, the person may proceed with the operation under the terms of the open burning permit. Be aware that such approval shall not exempt Bethany Municipal Power Plant from the provisions of any other law, ordinance or regulation.
- 5) The permittee shall maintain files with letters from the director approving the open burning operation and previous DNR inspection reports.

10 CSR 10-3.090 Restriction of Emission of Odors

No person may cause, permit or allow the emission of odorous matter in concentrations and frequencies or for durations that odor can be perceived when one volume of odorous air is diluted with seven volumes of odor-free air for two separate trials not less than 15 minutes apart within the period of one hour.

This requirement is not federally enforceable.

10 CSR 10-6.100 Alternate Emission Limits

Proposals for alternate emission limitations shall be submitted on Alternate Emission Limits Permit forms provided by the department. An installation owner or operator must obtain an Alternate Emission Limits Permit in accordance with 10 CSR 10-6.100 before alternate emission limits may become effective.

10 CSR 10-6.080 Emission Standards for Hazardous Air Pollutarts and 40 CFR Part 61 **Subpart M National Emission Standard for Asbestos**

- 1) The permittee shall follow the procedures and requirements of 40 CFR Part 61, Subpart M for any activities occurring at this installation which would be subject to provisions for 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos.
- 2) The permittee shall conduct monitoring to demonstrate compliance with registration, certification, notification, and Abatement Procedures and Practices standards as specified in 40 CFR Part 61, Subpart M.

10 CSR 10-6.250 Asbestos Abatement Projects Certification, Accreditation, and Business **Exemption Requirements**

The permittee shall conduct all asbestos abatement projects within the procedures established for certification and accreditation by 10 CSR 10,6.230. This rule requires individuals who work in asbestos abatement projects to be certified by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires training providers who offer training for asbestos abatement occupations to be accredited by the Missouri Department of Natural Resources Air Pollution Control Program. This rule requires persons who hold exemption status from certain requirements of this rule to allow the department to monitor training provided to employees. Each individual who works in asbestos abatement projects must first obtain certification for the appropriate occupation from the department. Each person who offers training for asbestos abatement occupations must first obtain accreditation from the department. Certain business entities that meet the requirements for state-approved exemption status must allow the department to monitor training classes provided to employees who perform asbestos abatement.

Title VI – 40 CFR Part 82 Protection of Stratospheric Ozone

- The permittee shall comply with the standards for labeling of products using ozone-depleting substances pursuant to 40 CFR Part 82, Subpart E:
 - a) All containers in which a class I or class II substance is stored or transported, all products containing a class I substance, and all products directly manufactured with a class I substance must bear the required warning statement if it is being introduced into interstate commerce pursuant to §82.106.

- b) The placement of the required warning statement must comply with the requirements pursuant to
- c) The form of the label bearing the required warning statement must comply with the requirements pursuant to §82.110.
- d) No person may modify, remove, or interfere with the required warning statement except as described in §82.112.
- 2) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart
 - a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to §82.156.
 - b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to §82.158.
 - c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to §82.161.
 - d) Persons disposing of small appliances, MVACs, and MVAC-like appliances must comply with record keeping requirements pursuant to §82.166. ("MVAC-like\appliance as defined at §82.152).
 - e) Persons owning commercial or industrial process refrigeration equipment must comply with the leak repair requirements pursuant to §82.156.
 - f) Owners/operators of appliances normally containing 50 or more bounds of refrigerant must keep records of refrigerant purchased and added to such appliances pursuant to §82.166.
- 3) If the permittee manufactures, transforms, imports, or exports a class I or class II substance, the permittee is subject to all the requirements as specified in 40 CFR part 82, Subpart A, Production and Consumption Controls.
- If the permittee performs a service on motor (fleet) vehicles when this service involves ozonedepleting substance refrigerant (or regulated substitute substance) in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR part 82, Subpart B, Servicing of Motor Vehicle Air conditioners. The term "motor vehicle" as used in Subpart B does not include a vehicle in which final assembly of the vehicle has not been completed. The term "MVAC as used in Subpart B does not include the air-tight sealed refrigeration system used as refrigerated cargo, or system used on passenger buses using HCFC-22 refrigerant.

The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR part 82, Subpart G, Significant New Alternatives Policy Program. Federal Only - 40 CFR part 82

10 CSR 10-6.280 Compliance Monitoring Usage

- The permittee is not prohibited from using the following in addition to any specified compliance methods for the purpose of submission of compliance certificates:
 - a) Monitoring methods outlined in 40 CFR Part 64;
 - b) Monitoring method(s) approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
 - c) Any other monitoring methods approved by the director.
- 2) Any credible evidence may be used for the purpose of establishing whether a permittee has violated or is in violation of any such plan or other applicable requirement. Information from the use of the

following methods is presumptively credible evidence of whether a violation has occurred by a

- a) Monitoring methods outlined in 40 CFR Part 64;
- b) A monitoring method approved for the permittee pursuant to 10 CSR 10-6.065, "Operating Permits", and incorporated into an operating permit; and
- c) Compliance test methods specified in the rule cited as the authority for the emission limitations.
- 3) The following testing, monitoring or information gathering methods are presumptively credible testing, monitoring, or information gathering methods:
 - a) Applicable monitoring or testing methods, cited in:
 - i) 10 CSR 10-6.030, "Sampling Methods for Air Pollution Sources";
 - ii) 10 CSR 10-6.040, "Reference Methods";
 - iii) 10 CSR 10-6.070, "New Source Performance Standards";
 - iv) 10 CSR 10-6.080, "Emission Standards for Hazardous Air Pollutants"; or
 - b) Other testing, monitoring, or information gathering methods, if approved by the director, that produce information comparable to that produced by any method listed above.



V. **General Permit Requirements**

The installation shall comply with each of the following requirements. Consult the appropriate sections in the Code of Federal Regulations (CFR) and Code of State Regulations (CSR) for the full text of the applicable requirements. All citations, unless otherwise noted, are to the regulations in effect as of the date that this permit is issued.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.B Permit Duration

This permit is issued for a term of five years, commencing on the date of issuance. This permit will expire at the end of this period unless renewed.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)1.C General Record Keeping and Reporting **Requirements**

- 1) Record Keeping
 - a) All required monitoring data and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report or application.
 - b) Copies of all current operating and construction permits issued to this installation shall be kept on-site for as long as the permits are in effect. Copies of these permits shall be made immediately available to any Missouri Department of Natural Resources personnel upon request.
- 2) Reporting
 - a) All reports shall be submitted to the Air Pollution Control Program, Enforcement Section, P. O. Box 176, Jefferson City, MO 65102.
 - b) The permittee shall submit a report of all required monitoring by:
 - i) April 1st for monitoring which covers the January through December time period.
 - ii) Exception. Monitoring requirements which require reporting more frequently than annually shall report no later than 30 days after the end of the alendar quarter in which the measurements were taken.
 - c) Each report shall identify any deviations from emission limitations, monitoring, record keeping, reporting, or any other requirements of the permit.
 - d) Submit supplemental reports as required or as needed. Supplemental reports are required no later than ten days after any exceedance of any applicable rule, regulation or other restriction. All reports of deviations shall identify the cause or probable cause of the deviations and any corrective actions or preventative measures taken.
 - Notice of any deviation resulting from an emergency (or upset) condition as defined in paragraph (6)(C)7 of 10 CSR 10-6.065 (Emergency Provisions) shall be submitted to the permitting authority either verbally or in writing within two working days after the date on which the emission limitation is exceeded due to the emergency, if the permittee wishes to assert an affirmative defense. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that indicate an emergency occurred and the permittee can identify the cause(s) of the emergency. The permitted installation must show that it was operated properly at the time and that during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards or requirements in the permit. The notice must contain a description of the emergency, the steps taken to mitigate emissions, and the corrective actions taken.
 - ii) Any deviation that poses an imminent and substantial danger to public health, safety or the environment shall be reported as soon as practicable.

- iii) Any other deviations identified in the permit as requiring more frequent reporting than the permittee's annual report shall be reported on the schedule specified in this permit, and no later than ten days after any exceedance of any applicable rule, regulation, or other restriction.
- e) Every report submitted shall be certified by the responsible official, except that, if a report of a deviation must be submitted within ten days after the deviation, the report may be submitted without a certification if the report is resubmitted with an appropriate certification within ten days after that, together with any corrected or supplemental information required concerning the deviation.
- The permittee may request confidential treatment of information submitted in any report of deviation.

10 CSR 10-6.065 §(5)(C)1 and §(6)(C)1.D Risk Management Plan Under Section 112(r)

The permittee shall comply with the requirements of 40 CFR Part 68, Accidental Release Prevention Requirements. If the permittee has more than a threshold quantity of a regulated substance in process, as determined by 40 CFR Section 68.115, the permittee shall submit a Risk Management Plan in accordance with 40 CFR Part 68 no later than the latest of the following dates:

- 1) June 21, 1999;
- 2) Three years after the date on which a regulated substance is first listed under 40 CFR Section 68.130; or
- 3) The date on which a regulated substance is first present above a threshold quantity in a process.

10 CSR 10-6.065(5)(C)1.A General Requirements

- The permittee must comply with all of the terms and conditions of this permit. Any noncompliance with a permit condition constitutes a violation and is grounds for enforcement action, permit termination, permit revocation and re-issuance, permit modification or denial of a permit renewal application.
- 2) The permittee may not use as a defense in an enforcement action that it would have been necessary for the permittee to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit
- The permit may be modified, revoked, reopened, reissued or terminated for cause. Except as provided for minor permit modifications, the filing of an application or request for a permit modification, revocation and reissuance, or termination, or the filing of a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- 4) This permit does not convey any property rights of any sort, nor grant any exclusive privilege.
- 5) The permittee shall furnish to the Air Pollution Control Program, upon receipt of a written request and within a reasonable time, any information that the Air Pollution Control Program reasonably may require to determine whether cause exists for modifying, reopening, reissuing or revoking the permit or to determine compliance with the permit. Upon request, the permittee also shall furnish to the Air Pollution Control Program copies of records required to be kept by the permittee. The permittee may make a claim of confidentiality for any information or records submitted under this rule.
- 6) Failure to comply with the limitations and conditions that qualify the installation for an Intermediate permit make the installation subject to the provisions of 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit.

10 CSR 10-6.065(5)(C)1.C Reasonably Anticipated Operating Scenarios

None.

10 CSR 10-6.065, §(5)(B)4; §(5)(C)1, §(6)(C)3.B; and §(6)(C)3.D; and §(5)(C)3 and §(6)(C)3.E.(I) - (III) and (V) - (VI) Compliance Requirements

- 1) Any document (including reports) required to be submitted under this permit shall contain a certification signed by the responsible official.
- 2) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized officials of the Missouri Department of Natural Resources, or their authorized agents, to perform the following (subject to the installation's right to seek confidential treatment of information submitted to, or obtained by, the Air Pollution Control Program):
 - a) Enter upon the premises where a permitted installation is located or an emissions-related activity is conducted, or where records must be kept under the conditions of this permit;
 - b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
 - c) Inspect, at reasonable times and using reasonable safety practices, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
 - d) As authorized by the Missouri Air Conservation Law, Chapter 643, RSMo or the Act, sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the terms of this permit, and all applicable requirements as outlined in this permit.
- 3) All progress reports required under an applicable schedule of compliance shall be submitted semiannually (or more frequently if specified in the applicable requirement). These progress reports shall contain the following:
 - a) Dates for achieving the activities, milestones or compliance required in the schedule of compliance, and dates when these activities, milestones or compliance were achieved, and
 - b) An explanation of why any dates in the schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- 4) The permittee shall submit an annual certification that it is in compliance with all of the federally enforceable terms and conditions contained in this permit, including emissions limitations, standards, or work practices. These certifications shall be submitted annually by April 1st, unless the applicable requirement specifies more frequent submission. These certifications shall be submitted to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102. All deviations and exceedances must be included in the compliance certifications. The compliance certification shall include the following:
 - a) The identification of each term or condition of the permit that is the basis of the certification;
 - b) The current compliance status, as shown by monitoring data and other information reasonably available to the installation;
 - c) Whether compliance was continuous or intermittent;
 - d) The method(s) used for determining the compliance status of the installation, both currently and over the reporting period; and
 - e) Such other facts as the Air Pollution Control Program will require in order to determine the compliance status of this installation.

10 CSR 10-6.065, §(5)(C)1 and §(6)(C)7 Emergency Provisions

1) An emergency or upset as defined in 10 CSR 10-6.065(6)(C)7.A shall constitute an affirmative defense to an enforcement action brought for noncompliance with technology-based emissions

limitations. To establish an emergency- or upset-based defense, the permittee must demonstrate, through properly signed, contemporaneous operating logs or other relevant evidence, the following:

- a) That an emergency or upset occurred and that the permittee can identify the source of the emergency or upset,
- b) That the installation was being operated properly,
- c) That the permittee took all reasonable steps to minimize emissions that exceeded technologybased emissions limitations or requirements in this permit, and
- d) That the permittee submitted notice of the emergency to the Air Pollution Control Program within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- 2) Be aware that an emergency or upset shall not include noncompliance caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

10 CSR 10-6.065(5)(C)5 Off-Permit Changes

- 1) Except as noted below, the permittee may make any change in its permitted installation's operations, activities or emissions that is not addressed in, constrained by dr prohibited by this permit without obtaining a permit revision. Off-permit changes shall be subject to the following requirements and restrictions:
 - a) The change must meet all applicable requirements of the Act and may not violate any existing permit term or condition; the permittee may not change a permitted installation without a permit revision if this change is a Title I modification; Please Note: Changes at the installation which affect the emission limitation(s) classifying the installation as an intermediate source (add additional equipment to the record keeping requirements, increase the emissions above major source level) do not qualify for off-permit changes.
 - b) The permittee must provide written notice of the change to the Air Pollution Control Program, Enforcement Section, P.O. Box 176, Jefferson City, MO 65102, as well as EPA Region VII, 901 North 5th Street, Kapsas City, Kansas 66101, no later than the next annual emissions report. This written notice shall describe each change, including the date, any change in emissions, pollutants emitted and any applicable requirement that would apply as a result of the change; and
 - The permittee shall keep a record describing all changes made at the installation that result in emissions of a regulated air pollutant subject to an applicable requirement and the emissions resulting from these changes

10 CSR 10-6.020(2)(R)12 Responsible Official

The application utilized in the preparation of this permit was signed by R.E. Graner, Mayor If this person terminates employment, or is reassigned different duties such that a different person becomes the responsible person to represent and bind the installation in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Director of the Air Pollution Control Program of the change. Said notification shall be in writing and shall be submitted within 30 days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the installation in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the installation until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

10 CSR 10-6.065 §(5)(E)4 and §(6)(E)6.A(III)(a)-(c) Reopening-Permit for Cause

This permit may be reopened for cause if:

- 1) The Missouri Department of Natural Resources (MDNR) or EPA determines that the permit contains a material mistake or that inaccurate statements were made which resulted in establishing the emissions limitation standards or other terms of the permit,
- 2) Additional applicable requirements under the Act become applicable to the installation; however, reopening on this ground is not required if—:
 - a) The permit has a remaining term of less than three years;
 - b) The effective date of the requirement is later than the date on which the permit is due to expire; or
 - The additional applicable requirements are implemented in a general permit that is applicable to c) the installation and the installation receives authorization for coverage under that general permit,
- 3) MDNR or EPA determines that the permit must be reopened and revised to assure compliance with applicable requirements.

10 CSR 10-6.065 §(5)(E)1.A and §(6)(E)1.C Statement of Basis

This permit is accompanied by a statement setting forth the legal and factual basis for the draft permit conditions (including references to applicable statutory or regulatory provisions). This Statement of Basis, while referenced by the permit, is not an actual part of the permit.

VI. **Attachments**

Attachments follow.

ATTACHMENT A NOx Compliance Tracking Record

Inis attachment can be used to sho	ow compliance with PW001.	
This sheet covers the period from _	to	

Equipment	Diesel Throughput	NOx Emission Factor	Monthly NOx Emissions	Sum of Most Recent 12 Months of NOx Emissions
	(1000 gallons)	(Lbs/1000gal.)	(tons)	(tons)
Caterpillar – 3516				
TM9327-04		532.41		
(EU0010)				
33F16 FM		604	Λ	
(EU0020)			/\	\wedge
1312 Nordberg		604		
(EU0030)				
38TDD FM		604		\vee
(EU0040)			/ / /	
38TDD FM		604		
(EU0050)				
38DD FM		604		
(EU0060)				
16V149T1 Detroit		604	UM	
(EU0070)				


Sum of most recent 12 months of NOx emissions less than 95 tons shows compliance. Emission factor for EU0010 was demonstrated through performance testing. Emission factor for EU0020 through EU0070 was taken from FIRE SCC 201-001-02.

ATTACHMENT B NOx Compliance Tracking Record

This attachment can be used to sho	w compliance with EU0010-001.	
This sheet covers the period from _	to	

Equipment	Diesel	NOx Emission	Monthly NOx	Sum of Most Recent 12
	Throughput	Factor	Emissions	Months of NOx Emissions
	(1000 gallons)	(Lbs/1000gal.)	(tons)	(tons)
Caterpillar – 3516 TM9327-04 (EU0010)		532.41		

Sum of most recent 12 months of NOx emissions less than 69 tons shows compliance. Emission factor for EU0010 was demonstrated through performance testing.



ATTACHMENT C **Fuel Usage Tracking Record**

This attachment can be used to show compliance with EU0070-001.						
This sheet covers the period from	to					

Equipment	Diesel Throughput (1000	Sum of Most Recent 12 Months of Diesel
	gallons)	Throughput
		(1000 gallons)
16V149T1 Detroit		
(EU0070)		

Sum of most recent 12 months of diesel throughput less than 30,000 gallons shows compliance.



STATEMENT OF BASIS

Voluntary Limitations

In order to qualify for this Intermediate State Operating Permit, the permittee has accepted voluntary, federally enforceable emission limitations. Per 10 CSR 10-6.065(5)(C)1.A.(VI), if these limitations are exceeded, the installation immediately becomes subject to 10 CSR 10-6.065(6) and enforcement action for operating without a valid part 70 operating permit. It is the permittee's responsibility to monitor emission levels and apply for a part 70 operating permit far enough in advance to avoid this situation. This may mean applying more than eighteen months in advance of the exceedance, since it can take that long or longer to obtain a part 70 operating permit.

Permit Reference Documents

These documents were relied upon in the preparation of the operating permit. Because they are not incorporated by reference, they are not an official part of the operating permit.

- 1) Intermediate Operating Permit Application, received March 8, 2004;
- 2) 2004 Emissions Inventory Questionnaire, received March 28, 2005;
- 3) U.S. EPA document AP-42, *Compilation of Air Pollutant Emission Factors*; Volume I, Stationary Point and Area Sources, Fifth Edition.
- 4) Factor Information Retrieval System (FIRE), Version 6.23

Applicable Requirements Included in the Operating Permit but Not in the Application or Previous Operating Permits

None.

Other Air Regulations Determined Not to Apply to the Operating Permit

The Air Pollution Control Program (APCP) has determined that the following requirements are not applicable to this installation at this time for the reasons stated.

10 CSR 10-6.400 Restriction of Emission of Particulate Matter From Industrial Processes
This regulation restricts the emission of particulate matter in the source gas of an operation or activity.
Process weight is defined as the total weight of all materials, including solid fuels, introduced into an emission unit, which may cause any emission of particulate matter, but excluding liquids and gases used solely as fuels and air introduced for purposes of combustion. This rule is not applicable because the generators use fuel oil #2, which is a liquid gas.

Construction Permit Revisions

The following revisions were made to construction permits for this installation

Construction Permit #0393-018

This permit was issued for the installation of a Detroit Diesel Model 16V149T1 generator. Special Condition 1 limits the City of Bethany to use 30,000 gallons of diesel fuel per 12-month period.

Construction Permit #0393-019

This permit was issued for the installation of a new caterpillar 3516 generator. Special Condition 1 limits the City of Bethany to use 45,000 gallons of diesel fuel per 12-month period. This permit was superseded by Construction Permit #062000-014A.

Construction Permit #062000-014

This permit was issued for the addition of four (4) new diesel engine generators and one (1) 10,000 gallon above ground diesel storage tank, and required stack testing to establish emission factors. This permit was superseded by Construction Permit #062000-014A.

Construction Permit #062000-014A

This permit is an amendment to Construction Permit #062000-014. This permit supersedes construction permit #062000-014. This amendment modified the stack testing requirement, and allowed, the City of Bethany to submit documentation from another stack test conducted on an identical diesel engine generator unit in Missouri.

New Source Performance Standards Applicability

40 CFR Part 60 Subpart Kb – Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for which Construction, Reconstruction, or Modification Commenced after July 23, 1984.

The affected facility to which this subpart applies is each storage vessel with a capacity greater than or equal to 75 cubic meters (m³) that is used to store volatile organic liquids (VOL) for which construction, reconstruction, or modification is commenced after July 23, 1984.

East Outer Road (081-0019)

This regulation does not apply to these two (2) 2,000 gallon diesel storage tanks because Subpart Kb only applies to storage vessels that have a design capacity greater than 19812.9 gallons.

Tanks	Construction Date	Capacity		
Diesel Storage	1993	2,000 gallon		
Diesel Storage	1993	2,000 gallon		

11th & Beekman Street (081-0015)

This regulation does not apply to the two (2) 11,440 gallon tanks and the two (2) 21,326 gallon tanks. In Operating Permit #2002-070 they were subject to Subpart Kb due to the undetermined construction dates. Subpart Kb applies to all Volatile Organic Liquid Storage Vessels that were constructed, reconstructed, or modified after July 23, 1984. All four (4) tanks were constructed before 1950, therefore Subpart Kb does not apply.

Tanks	Construction Date	Capacity	
Diesel Storage	Prior to 1950	11,440 gallon	
Diesel Storage	Prior to 1950	11,440 gallon	
Diesel Storage	Prior to 1950	21,326 gallon	
Diesel Storage	Prior to 1950	21,326 gallon	

Maximum Available Control Technology Applicability

This installation is not a major source of HAPs. Therefore there are no applicable regulations in 40 CFR part 63.

National Emission Standards for Hazardous Air Pollutants Applicability

None.

Other Regulatory Determinations

10 CSR 10-6.100 Alternate Emission Limits

This rule applies to ozone non-attainment areas. Since this installation is located in an ozone attainment area, this rule does not apply and has not been included in the permit.

Acid Rain

This installation is not subject to Acid Rain because they are exempt from the Acid Rain Program per 72.7(a)(1).

Emission Factors

Construction Permit #062000-014A, Special Condition 3.F. states that in place of required stack testing, the City of Bethany may also submit documentation from another stack test conducted on an identical diesel engine generator unit in Missouri. This is the reason the emission factors at 11th and Beekman are different than those on East Outer Road.

10 CSR 10-6.260 Restriction of Emission of Sulfur Compounds

This rule applies to any installation that is an emission source of sulfur compounds. This rule contains different emission limits for new and existing sources. To be classified as an existing source, the equipment must have been constructed prior to February 24, 1971.

Emission Unit	Construction Date	New or Existing
EU0010	1993	New
EU0020	1948	Existing
EU0030	1958	Existing
EU0040	1968	Existing
EU0050	1979	New
EU0060	1980	New
EU0070	1983	New

Potential to Emit

Emission	Uncontrolled	Controlled Potential to Emit	Controlled Potential to Emit
	Potential to	through Construction	through Operating Permit
	Emit (tons/year)	Permits (tons/year)	Voluntary Condition of less than
			95 tons per year
PM10	39.12	31.08	2.12789263
SOx	448.25	328.40	22.4837744
NOx	1870.35	1387.59	95
VOC	137.17	109.30	7.482836197
CO	398.45	297.60	20.37504701
HAPs	0.81	0.59	0.040679689

Other Regulations Not Cited in the Operating Permit or the Above Statement of Basis

Any regulation which is not specifically listed in either the Operating Permit or in the above Statement of Basis does not appear, based on this review, to be an applicable requirement for this installation for one or more of the following reasons.

- 1) The specific pollutant regulated by that rule is not emitted by the installation.
- 2) The installation is not in the source category regulated by that rule.
- 3) The installation is not in the county or specific area that is regulated under the authority of that rule.
- 4) The installation does not contain the type of emission unit, which is regulated by that rule.
- 5) The rule is only for administrative purposes.

Should a later determination conclude that the installation is subject to one or more of the regulations cited in this Statement of Basis or other regulations which were not cited, the installation shall determine and demonstrate, to the Air Pollution Control Program's satisfaction, the installation's compliance with that regulation(s). If the installation is not in compliance with a regulation, which was not previously cited, the installation shall submit to the APCP a schedule for achieving compliance for that regulation(s).

Prepared by:	
Jason Dickneite	
Environmental Engineer	

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. R. E. Graner, Mayor Bethany Municipal Power Plant 11th & Beekman St. and East Outer Road Bethany, MO 64424

Re: Bethany Municipal Power Plant, 081-0015

Permit Number:

Dear Mr. Graner:

Enclosed with this letter is your intermediate operating permit. Please review this document carefully. Operation of your installation, in accordance with the rules and regulations cited in this document, is necessary for continued compliance. It is very important that you read and understand the requirements contained in your permit.

If you have any questions or need additional information regarding this permit, please contact the Air Pollution Control Program (APCP) at (573) 751-4817, or you may write to the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E. Operating Permit Unit Chief

MJS:jdk

Enclosures

c: Ms. Tamara Freeman, US EPA Region VII

Kansas City Regional Office PAMS File: 2004-03-044

CERTIFIED MAIL, 70041160000081717043 RETURN RECEIPT REQUESTED

Mr. Kenny Robertson Acting Superintendent Bethany Municipal Power Plant 11th & Beekman St. and East Outer Road Bethany, MO 64424

Re: Draft Intermediate Operating Permit – Project (PAMS) No: 2004-03-044

Dear Mr. Robertson:

The Air Pollution Control Program (APCP) has completed the preliminary review of your Intermediate (Title V) permit application. A public notice will be placed in the Bethany Republican-Clipper on Wednesday, June 21, 2006.

The APCP will accept comments regarding the draft permit that are postmarked on or before the closing date. It is very important that you <u>read</u> and <u>understand</u> this legal document. You will be held responsible for complying with this document.

Please address comments or recommendations for changes to my attention at:

Operating Permits Unit Air Pollution Control Program P.O. Box 176 Jefferson City, MO 65102

A copy of this draft is also being sent to the U.S. EPA's Region VII office in Kansas City for their review. The Region VII office is afforded, by law, oversight authority on any Title V permit which Missouri (or any of the other states in the

Mr. Kenny Robertson Page Two

region) may propose to issue. A public hearing may be held if interest is expressed by the public.

Should you have any questions, or wish clarification on any items in this draft permit, please feel free to contact me at (573) 751-4817, or you may write to the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Jason Dickneite Environmental Engineer

JD/kdm

Enclosures

c: Ms. Tamara Freeman, US EPA Region VII

Kansas City Regional Office PAMS File: 2004-03-044

Mr. Peter Hamlin, Chief Iowa Department of Natural Resources Air Quality Bureau 7900 Hickman Road Urbandale, IA 50322

RE: Affected States Review – Notification of Proposed Final Intermediate Operating Permit

Dear Mr. Hamlin:

In accordance with Missouri State Rule 10 CSR 10-6.065(5)(F)1. and the Clean Air Act this letter is to notify you of public notice of the preliminary draft and request for comments for:

Bethany Municipal Power Plant located in Bethany, MO 64424

Project Number – 2004-03-044

Public notice will be published in the Bethany Republican-Clipper in Bethany MO on June 21, 2006.

You are invited to submit any relevant information, materials, and views in support of or in opposition to the draft operating permits in writing by no later than July 20, 2006 to my attention at Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102.

Should you require further information or documentation on this matter, please contact the Operating Permits Unit at (573) 751-4817, or you may write to the Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102. Thank you for your time and attention.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E. Operating Permit Unit Chief

MJS:jdk

For Publication on Wednesday, June 21, 2006

Notice of documents available for public viewing Department of Natural Resources Air and Land Protection Division Air Pollution Control Program

A draft-operating permit has been issued for the following air pollution sources:

Installation	City	Project #
Bethany Municipal Power Plant	Bethany	2004-03-044

Activities included in these permits are all activities involved in the operation of these sources with the potential for producing regulated quantities of regulated air pollutants.

Copies of the draft permits are available for public comment. Public files containing copies of all non-confidential materials and a copy or summary of other materials, if any, considered in this draft permit, are available for public viewing at the following locations: Mo. Dept of Natural Resources, Kansas City Regional Office, 500 NE Colbern Road, Lee's Summit, MO 64086-4710 or by written request from the Air Pollution Control Program, Operating Permits Unit, P.O. Box 176, Jefferson City, MO 65102 (Any information deemed confidential business information pursuant to Missouri State Rule 10 CSR 10-6.210, *Confidential Information*, if any exists, are not included in the public files. Emission data, as defined by this rule, cannot be considered confidential business information.)

The file is available for viewing through July 20, 2006. Citizens are invited to submit any relevant information, materials, and views in support of or in opposition to the draft operating permits in writing no later than July 20, 2006. Written comments and/or requests for public hearing should be sent to Mr. Jim Kavanaugh, Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102.

The Air Pollution Control Program will hold an informal public hearing after an additional 30 day comment period on the draft permit if: 1.) A timely request is made for such a hearing during the public comment period; and 2.) The person requesting the hearing identifies material issues concerning the preliminary determination and the Air Pollution Control Program determines that a public hearing will be useful in resolving those issues.

This public notice is made pursuant to Missouri State Rule 10 CSR 10-6.065, Operating Permits.

Bethany Republican-Clipper 202 North 16th PO Box 351 Bethany, MO 64424

Attention: Legal Ads

To Whom It May Concern:

We wish to place the attached legal advertisement in your newspaper to be run ONCE. It must run on Wednesday, June 21, 2006.

We require a certified affidavit of publication. This must be received in our office by July 5, 2006. Please submit the affidavit and invoice for payment to:

Attention: Cheri Bechtel
Department of Natural Resources
Air Pollution Control Program
P. O. Box 176
Jefferson City, MO 65102

If you have any questions, please contact me at (573) 751-4817. Thank you for your assistance.

Sincerely,

AIR POLLUTION CONTROL PROGRAM

Michael J. Stansfield, P.E. Operating Permits Unit Chief

MJS/jdk

c: Cheri Bechtel, Procurement Clerk PAMS File: 2004-03-044

MISSOURI DEPARTMENT OF NATURAL RESOURCES FOLDER TRANSMITTAL ROUTING SHEET

Document #:
Division Log #:
Program Log #:

DE	ADLINE: <mark>Date</mark>	Penal	ty for	r Missing Dea	dline: None	
Bethany Municipal Power Plant		2	004-03	3-044		
C	riginator: Jason Dickneite	Telephone: (573) 75	51-8329		Date:
Т	ypist:: Karla Marshall			rmits\Users\Jason Dic (2004-03-044) –ready		rmediates\Bethany
FOR	SIGNATURE APPROVAL OF:					
	DNR Director DNR Deputy Director	☐ Division Director		Division Deputy Dire	ector X Other:	James L. Kavanaugh
PRO	GRAM APPROVAL: Approved by:			Program:	APCP	Date:
	her Program Approval (Section/Unit): ments:			Date:		
RO	UTE TO:					
	DIVISION DIRECTOR APPROVAL:				Date:	:
	ments: FINANCIAL REVIEW – DIVISION OF AI	DMINISTRATIVE SU	PPOR'	Т:		
	DAS Director:				_ Date:	
	Fee Worksheet Received By:				_ Date:	
-	Accounting: Budget:				_ Date: Date:	-
-	General Services:				_ Date:	•
-	Internal Audit:				Date:	
	Purchasing:				Date:	
Com	ments:					
	LEGAL REVIEW:					
	General Counsel:					
Com	AGO:				_ Date:	
Com	mento.					
	DEPARTMENT DIRECTOR APPROVAL:				Date:	
Com	ments:				_	
	NOTARIZATION NEEDED					
					INITIALS/D	ATE